

**Amendments to the claims**

1. (As Issued) A library of DNA sequences, each sequence encoding a zinc finger polypeptide for display, the zinc finger polypeptide comprising at least one zinc finger having partially randomised allocation of amino acids, the partially randomised zinc finger having a random allocation of amino acids at positions -1, +2, +3 and +6 and at least one of positions +1, +5 or +8, position +1 being the first amino acid in the  $\alpha$ -helix of the zinc finger.
2. (As Issued) A library according to claim 1, wherein the partially randomised zinc finger has random allocation of amino acids at each of positions +1, +5 and +8.
3. (Amended) A library according to claim 1, wherein the encoded partially randomised zinc finger comprises [the] a zinc finger of the Zif 268 polypeptide.
4. (As Issued) A library according to claim 1 as a fusion with a DNA sequence encoding the minor coat protein of bacteriophage  $\lambda$ .
5. (As Issued) A method of designing a zinc finger polypeptide for binding to a particular target DNA sequence, comprising the steps of:  
comparing the binding to one or more DNA triplets of each of a plurality of zinc finger polypeptides having a partially randomized zinc finger, the zinc finger polypeptides being encoded by a library in accordance with claim 1; and  
selecting those nucleic acid sequences encoding randomised zinc fingers which bind to the target DNA sequence.
6. (As Issued) A method of designing a zinc finger polypeptide for binding to a particular target DNA sequence, comprising the steps of:  
screening against at least a portion of the target DNA sequence, a plurality of zinc finger polypeptides having a partially randomised zinc finger, the portion of the target

PATENT  
USSN 10/033,129  
Docket No. 8325-2001.30

DNA sequence being sufficient to allow binding of some of the zinc finger polypeptides, the plurality of zinc finger polypeptides being encoded by a library in accordance with claim 1;

comparing the binding to one or more DNA triplets of each of said plurality of zinc finger polypeptides having a partially randomised zinc finger positioned between two or more zinc fingers having defined amino acid sequence; and

selecting those nucleic acid sequences encoding randomised zinc fingers which bind to the target DNA sequence.

7. (As Issued) A method of designing a zinc finger polypeptide for binding to a particular target DNA sequence, the method comprising the steps of:

screening against at least a portion of the target DNA sequence, zinc finger polypeptides having a partially randomised zinc finger, the portion of the target DNA sequence being sufficient to allow binding of some of the zinc finger polypeptides, the zinc finger polypeptides being encoded by a library in accordance with claim 1;

comparing the binding to one or more DNA triplets of each of said zinc finger polypeptides having a partially randomised zinc finger;

selecting certain of the screened randomised zinc fingers for analysis of binding characteristics; and

combining those sequences encoding desired zinc fingers to form a sequence encoding a single zinc finger polypeptide.

8. (As Issued) A method for producing a zinc finger polypeptide for binding to a particular target DNA sequence, comprising the steps of:

screening against at least a portion of the target DNA sequence, zinc finger polypeptides having a partially randomised zinc finger, the portion of the target DNA sequence being sufficient to allow binding of some of the zinc finger polypeptides, the zinc finger polypeptides being coded by a library in accordance with claim 1;

selecting those nucleic acid sequences encoding randomised zinc fingers which bind to the target DNA sequence; and

expressing the selected nucleic acid sequences to produce zinc finger polypeptides which bind to the target DNA sequence.

9. (As Issued) A library according to claim 1, wherein the zinc finger polypeptide is displayed on a viral particle.

10. (As Issued) A library according to claim 1, wherein the partially randomised zinc finger is positioned between two or more zinc fingers.

11. (As Issued) A method of designing a zinc finger polypeptide for binding to a particular target DNA sequence, comprising the steps of:

screening against at least a portion of the target DNA sequence, zinc finger polypeptides having a partially randomised zinc finger, the portion of the target DNA sequence being sufficient to allow binding of some of the zinc finger polypeptides, the zinc finger polypeptides being encoded by a library in accordance with claim 1; and selecting those nucleic acid sequences encoding randomised zinc fingers which bind to the target DNA sequence.

12. (As Issued) A method according to claim 11, wherein two or more rounds of screening are performed.

13. (As Issued) A method of designing a zinc finger polypeptide for binding to a particular target DNA sequence, wherein sequences encoding individual zinc fingers selected by the method of claim 11 are randomly combined in the appropriate order to encode zinc finger polypeptides, the zinc finger polypeptides being screened against the target sequence, that combination of zinc finger sequences encoding a zinc finger polypeptide which binds to the target DNA sequence.

14. (As Issued) A method of modifying a nucleic acid sequence of interest present in a sample mixture by binding thereto a zinc finger polypeptide, wherein the zinc

PATENT  
USSN 10/033,129  
Docket No. 8325-2001.30

finger polypeptide is designed in accordance with claim 11, comprising contacting the sample mixture with a zinc finger polypeptide having affinity for at least a portion of the sequence of interest, so as to allow the zinc finger polypeptide to bind specifically to the sequence of interest.

15. (As Issued) A method according to claim 14, further comprising the step of separating the zinc finger polypeptide and the sequence of interest specifically bound thereto, from the rest of the sample.

16. (As Issued) A method according to claim 14, wherein the zinc finger polypeptide is bound to a solid phase support.

17. (As Issued) A method according to claim 14, wherein the presence of the zinc finger polypeptide bound to the sequence of interest is detected by the addition of one or more detection reagents.

18. (As Issued) A method according to claim 14, wherein the DNA sequence of interest is present in an acrylamide or agarose gel matrix, or is present on the surface of a membrane.

19-22. (Cancelled)

23. (Amended) A kit for making a zinc finger polypeptide for binding to a nucleic acid sequence of interest, comprising: a library of DNA sequences according to claim 1 encoding zinc finger polypeptides [into] in a vector; a vector molecule that accepts one or more sequences from the library; and instructions for use.

24. (As Issued) A kit according to claim 23, wherein the vector directs the expression of the cloned sequences as a single zinc finger polypeptide.

PATENT  
USSN 10/033,129  
Docket No. 8325-2001.30

25. (As Issued) A kit according to claim 23, wherein the vector directs the expression of the cloned sequences as a single zinc finger polypeptide displayed on the surface of a viral particle.

26. (As Issued) A kit for making a zinc finger polypeptide for binding to a nucleic acid sequence of interest, comprising: a library of DNA sequences in accordance with claim 1; and instructions for use.

27. (As Issued) A kit according to claim 26, further comprising a DNA library consisting of 64 sequences, each sequence comprising a different one of the 64 possible permutations of a DNA triplet, the library being arranged in twelve sub-libraries, wherein for any one sub-library one base in the triplet is defined and the other two bases are randomized.

28. (As Issued) A kit according to claim 27 further comprising appropriate buffer solutions and/or reagents for detection of bound zinc fingers.

29. (As Issued) A kit according to claim 28 further comprising a vector suitable for accepting one or more sequences selected from the library of DNA sequences encoding zinc fingers.

30. (As Issued) A library of DNA sequences, each sequence encoding a zinc finger polypeptide for display, the zinc finger polypeptide comprising at least one zinc finger having partially randomised allocation of amino acids, the partially randomised zinc finger having a random allocation of amino acids at positions -1, +1, +2, +3 and +6, position +1 being the first amino acid in the .alpha.-helix of the zinc finger.

31. (As Issued) A library according to claim 30, wherein the partially randomised zinc finger further has a random allocation of amino acids at position +5.

PATENT  
USSN 10/033,129  
Docket No. 8325-2001.30

32. (Amended) A library according to claim 31, wherein the zinc finger polypeptide is displayed on a viral particle.[.]

33. (As Issued) A library according to claim 31, wherein the partially randomised zinc finger is positioned between two or more zinc fingers.

34. (As Issued) A library according to claim 30, wherein the partially randomised zinc finger further has a random allocation of amino acids at position +8.

35. (As Issued) A library according to claim 34, wherein the zinc finger polypeptide is displayed on a viral particle.

36. (As Issued) A library according to claim 34, wherein the partially randomised zinc finger is positioned between two or more zinc fingers.

37. (As Issued) A library of DNA sequences, each sequence encoding a zinc finger polypeptide for display, the zinc finger polypeptide comprising at least one zinc finger having partially randomised allocation of amino acids, the partially randomised zinc finger having a random allocation of amino acids at positions -1, +2, +3, +5 and +6, position +1 being the first amino acid in the  $\alpha$ -helix of the zinc finger.

38. (As Issued) A library according to claim 37, wherein the partially randomised zinc finger further has a random allocation of amino acids at position +8.

39. (As Issued) A library according to claim 38, wherein the zinc finger polypeptide is displayed on a viral particle.

40. (As Issued) A library according to claims 38, wherein the partially randomised zinc finger is positioned between two or more zinc fingers.

PATENT  
USSN 10/033,129  
Docket No. 8325-2001.30

41. (As Issued) A library of DNA sequences, each sequence encoding a zinc finger polypeptide for display, the zinc finger polypeptide comprising at least one zinc finger having partially randomised allocation of amino acids, the partially randomised zinc finger having a random allocation of amino acids at positions -1, +2, +3, +6 and +8, position +1 being the first amino acid in the .alpha.-helix of the zinc finger.

42-103. (Cancelled)

104. The method of claim 14, wherein the nucleic acid sequence of interest comprises a first polynucleotide operatively linked to a second polynucleotide that is heterologous to the first polynucleotide, the method further comprising the step of: contacting the sample mixture with a third polynucleotide encoding the zinc finger polypeptide, wherein binding of the zinc finger polypeptide to a target site in the sequence of interest modulates expression of the sequence of interest.

105. The method of claim 104, wherein the target site is in the first polynucleotide.

106. The method of claim 104, wherein the target site is in the second polynucleotide.

107. The method of claim 104, wherein the target site spans the junction of the first and second polynucleotides.

108. The method of claim 104, wherein the sequence of interest encodes a protein.

109. The method of claim 104, wherein the sequence of interest is present in a chromosome.

110. The method of claim 104, wherein the sequence of interest is extrachromosomal.

111. The method of claim 110, wherein the sequence of interest is present in a plasmid.

112. The method of claim 111, wherein the plasmid further comprises a reporter gene.

113. The method of claim 111, wherein the plasmid is transiently transfected into the cell.

114. The method of claim 104, wherein the sequence of interest comprises a chromosomal translocation.

115. The method of claim 104, wherein the sequence of interest comprises a point mutation.

116. The method of claim 104, wherein the sequence of interest comprises a regulatory sequence.

117. The method of claim 104, wherein the modulation results in increased expression of the sequence of interest.

118. The method of claim 104, wherein the modulation results in decreased expression of the sequence of interest.

119. The method of claim 104, wherein the zinc finger polypeptide further comprises a functional domain.



120. The method of claim 119, wherein the functional domain comprises an activation domain.

121. The method of claim 120, wherein the activation domain is VP16.

122. The method of claim 119 wherein the functional domain comprises a repression domain.

123. The method of claim 119, wherein the functional domain comprises a nuclear localization signal.

124. The method of claim 123, wherein the nuclear localization signal is from the large T antigen of SV40.

125. The method of claim 119, wherein the functional domain comprises an epitope tag.

126. The method of claim 104, wherein the sequence of interest is present in a cell.

127. The method of claim 127, wherein the cell is a mammalian cell.

128. The method of claim 128, wherein the cell is a human cell.